Seymour of Sycamore

3041 Dougall Avenue, Suite 503

Printing date 04/13/2022 Revised On 04/13/2022

1 Identification of the substance and manufacturer

Trade name: STAINLESS STEEL CLEANER AND POLISH

0000200027 Product code:

Recommended use: Paint and coatings application.

Uses advised against: Any that differs from the recommended use.

Manufacturer/Supplier: Seymour of Sycamore

917 Crosby Avenue Sycamore, IL 60178 USA phone: 815-895-9101

Windsor, ONT N9E 1S3 CANADA phone: 800-435-4482 www.seymourpaint.com www.seymourpaint.com

Emergency telephone number: 1-800-255-3924

2 Hazard(s) identification

Classification of the substance or mixture

Gases under Pressure - Liquefied gas H280 Contains gas under pressure; may explode if heated.

Additional information: GHS Hazard pictograms

Warning Signal word

Contains gas under pressure; may explode if heated. **Hazard statements** Precautionary statements Protect from sunlight. Store in a well-ventilated place.

3 Composition/information on ingredients

Chemical characterization: Mixtures

This product is a mixture of the substances listed below with nonhazardous additions. Chemical Description:

Dangerous components:								
8042-47-5 White mineral oil, petroleum	5-10%							
74-98-6 propane	1-5%							
106-97-8 n-butane	1-5%							
111-76-2 Glycol Ether EB	0.2-1%							

4 First-aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Remove contaminated clothing. Wash exposed area with soap and water.

Rinse opened eye for several minutes under running water. After eye contact:

Rinse mouth with water. Do not induce vomiting. After swallowing: Dizziness

Most important symptoms and

effects:

Indication of any immediate medical

attention needed:

No further relevant information available.

5 Fire-fighting measures

Extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Special hazards: No further relevant information available.

Protective equipment for firefighters:

A respiratory protective device may be necessary.

6 Accidental release measures

Personal precautions, protective

equipment and emergency

procedures: Methods and material for

Use respiratory protective device against the effects of fumes/dust/aerosol.

containment and cleaning up: Absorb liquid components with liquid-binding material.

7 Handling and storage

Precautions for safe handling

Use only in well ventilated areas.

Storage requirements: Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing conditions.

Store locked up.

8 Exposure controls/personal protection

Components with limit values that require monitoring at the workplace:

74-98-6 propane

PEL (USA) Long-term value: 1800 mg/m³, 1000 ppm

(Contd. on page 2)

Printing date 04/13/2022 Revised On 04/13/2022

Trade name: STAINLESS STEEL CLEANER AND POLISH

(Contd. of page 1) REL (USA) Long-term value: 1800 mg/m³, 1000 ppm

TLV (USA) see Appendix F Minimal oxygen content (D, EX)

106-97-8 n-butane

REL (USA) Long-term value: 1900 mg/m³, 800 ppm

TLV (USA) Short-term value: 1000 ppm

(EX)

111-76-2 Glycol Ether EB

PEL (USA) Long-term value: 240 mg/m³, 50 ppm

Skin

REL (USA) Long-term value: 24 mg/m³, 5 ppm

Skin

TLV (USA) Long-term value: 20 ppm

BEI, A3

Ingredients with biological limit values:

111-76-2 Glycol Ether EB

BEI (USA) 200 mg/g creatinine Medium: urine Time: end of shift

Parameter: Butoxyacetic acid (BAA) (with hydrolysis)

Wash hands after use. **Hygienic protection:**

Do not eat or drink while working. **Breathing equipment:** A respirator is generally not necessary when using this product outdoors or in large open areas. In

cases where short and/or long term overexposure exists, a charcoal filter respirator should be worn.

If you suspect overexposure conditions exist, please consult an authority on chemical hygeine.

Hand protection: Nitrile gloves.

The glove material must be impermeable and resistant to the substance. Not required. Eye protection:

9 Physical and chemical properties

Appearance: Aerosol. Aromatic Odor: Odor threshold: Not determined. pH-value: Not determined. Melting point/Melting range Undetermined. Boiling point: 36 °C (96.8 °F)

Flash point: Not applicable, as aerosol.

Decomposition temperature: Not determined.

Auto igniting: Product is not self-igniting.

Danger of explosion: Not determined. Lower Explosion Limit: Not determined. **Upper Explosion Limit:** Not determined Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

Between 0.77 and 0.85 (Water equals 1.00) Relative Density:

Vapor density Not determined. **Evaporation rate** Not applicable. Partition coefficient: n-octonal/water: Not determined. Solubility: Not determined. Viscosity: Not determined.

Water: 83.4 %

10 Stability and reactivity

Reactivity: Stable at normal temperatures.

Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezing Conditions to avoid:

temperatures.

Chemical stability: Not fully evaluated.

Possibility of hazardous reactions: No dangerous reactions known.

Incompatible materials: No further relevant information available. Hazardous decomposition: No dangerous decomposition products known.

11 Toxicological information

ו/ח ו	C50 v	values	that	aro	rolovar	nt for	class	ificati	nn:
LU/L	LCOU '	vaiues	11141	arei	eleval	11 1631	1.1453	SIIIC.AII	

111-76-2 Glycol Ether EB

Oral LD50 1,200 mg/kg (ATE)

1,480 mg/kg (rat)

Dermal LD50 400 mg/kg (rab)

(Contd. on page 3)

(Contd. of page 2)

Printing date 04/13/2022 Revised On 04/13/2022

Trade name: STAINLESS STEEL CLEANER AND POLISH

Information on toxicological effects: No data available. Skin effects: No irritant effect.

Eye effects: No irritating effect.

Sensitization: No sensitizing effects known.

12 Ecological information

Aquatic toxicity: Persistence and degradability: Hazardous for water, do not empty into drains.

The product is degradable after prolonged exposure to natural weathering processes.

This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorinated Other information:

solvents.

Bioaccumulative potential: No further relevant information available. No further relevant information available. Mobility in soil: Other adverse effects: No further relevant information available.

13 Disposal considerations

Dispose of in accordance with local, state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be disposed of responsibly. Do not heat or cut empty containers with electric or gas torches.

Recommendation: Completely empty cans should be recycled. Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

UN-Number UN1950 DOT LIN1950

DOT Aerosols, non-flammable ADR 1950 AEROSOLS

Transport hazard class(es):

Class 2.2 Gases Special precautions for user: Warning: Gases F-D,S-Ŭ

EMS Number:

Packaging Group: UN "Model Regulation": **UN 1950 AEROSOLS, 2.2**

15 Regulatory information

SARA Section 355 (extremely hazardous substances):

None of the ingredients in this product are listed.

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

Toxic Substances Control Act

(TSCA): All hazardous ingredients are found on the inventory list of substances.

Canadian Domestic Substances List

(DSL): All ingredients are listed or exempted.

Consumer Product Safety

Comission (CPSC): This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.

California Proposition 65 chemicals known to cause cancer:

None of the ingredients in this product are listed.

Prop 65 chemicals known to cause birth defects or reproductive harm:

None of the ingredients is listed.

EPA:

None of the ingredients is listed.

16 Other information

Contact: Regulatory Affairs