25-50%

15-25% 10-15%

5-10%

1 Identification of the substance and manufacturer

Trade name: Product code: Recommended use: Uses advised against: Manufacturer/Supplier: Emergency telephone number:	GRAFFITI REMOVER 0000200047 Paint and coatings applica Any that differs from the re Seymour of Sycamore 917 Crosby Avenue Sycamore, IL 60178 USA phone: 815-895-9101 www.seymourpaint.com 1-800-255-3924	tion. ecommended use. 3041 Dougall Avenue, Suite 503 Windsor, ONT N9E 1S3 CANADA phone: 800-435-4482 www.seymourpaint.com
2 Hazard(s) identification		
Classification of the substance or m	nixture	
Flammable Aerosols 1		tremely flammable aerosol.
Gases under Pressure - Liquefied gas		ontains gas under pressure; may explode if heated.
Skin Irritation 2	H315 C	auses skin irritation.
Eye Damage 1		auses serious eye damage.
Sensitization - Skin 1		ay cause an allergic skin reaction.
Toxic to Reproduction 1B		ay damage fertility or the unborn child.
Additional information: GHS Hazard pictograms	Exposure 3 H335-H336 M	ay cause respiratory irritation. May cause drowsiness or dizziness.
	<u> </u>	
	GHS02 GHS04 GHS05 G	HS07 GHS08
Signal word	Danger	
Hazard statements	Extremely flammable aero	soi. ure; may explode if heated.
	Causes skin irritation.	
	Causes serious eye dama May cause an allergic skir	ge.
	May damage fertility or the	e unborn child.
	May cause respiratory irrit	ation. May cause drowsiness or dizziness.
Precautionary statements	Obtain special instructions	s before use. ks/open flames/hot surfaces No smoking.
	Do not sprav on an open f	ame or other ignition source.
	Pressurized container: Do	not pierce or burn, even after use.
	Wash thoroughly after har Use only outdoors or in a	ndling. Mell-ventilated area
	Wear protective gloves/pro	ptective clothing/eye protection/face protection.
	IF INHALED: Remove per	son to fresh air and keep comfortable for breathing.
	Immediately call a poison	v with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsi	ig.
	Specific treatment (see on Call a poison center/docto	this label).
	Take off contaminated clo	thing and wash it before reuse.
	Store in a well-ventilated p	
	Store locked up.	not expose to temperatures exceeding 50°C/122°F.
	Dispose of contents/conta	iner in accordance with local/regional/national/international regulations.
	· · · · · · · · · · · · · · · · · · ·	

3 Composition/information on ingredients Chemical characterization: Mixtures Chemical Description: This product is a mixture of the substances listed below with nonhazardous additions. Dangerous components: 67-64-1 Acetone 872-50-4 N-methyl-2-pyrrolidone 74-98-6 propane 106-97-8 n-butane

 97-64-3
 ethyl lactate
 5-10%

 5989-27-5
 d-limonene
 1-5%

 4 First-aid measures

 After inhalation:

 If breathing is difficult, administer oxygen.

After skin contact: After eye contact: If breathing is difficult, administer oxygen. Supply fresh air and to be sure call for a doctor. Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. (Contd. on page 2)

Revised On 01/09/2023

After swallowin	a:	(Contd. of page (Contd. of pag
Most important symptoms and effects: Indication of any immediate medical attention needed:		
		Dizziness
		No further relevant information available.
Fire-fighting n	neasures	
Extinguishing a		CO2, extinguishing powder or water spray. Fight larger fires with water spray.
Special hazards	5.	Can form explosive gas-air mixtures.
Protective equi firefighters:	pment for	A respiratory protective device may be necessary.
Accidental rol	ease measures	
	utions, protective	
equipment and	emergency	
procedures: Methods and m	atorial for	Use respiratory protective device against the effects of fumes/dust/aerosol.
containment an		Dispose contaminated material as waste according to section 13.
Handling and		
Precautions for Storage require		Use only in well ventilated areas. Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing condition
Storage require	ments.	Store locked up.
_		
•	trols/personal prot	
		equire monitoring at the workplace:
67-64-1 Acetone PEL (USA) Lo	e ong-term value: 2400 n	ng/m³ 1000 ppm
· · ·	ong-term value: 590 m	
	nort-term value: 500 m	
` ´ Lo	ong-term value: 250 pp 4, BEI	m
	hyl-2-pyrrolidone	
TLV (USA) BI		
WEEL (USA) Lo	ong-term value: 10 ppn kin	1
74-98-6 propan		
	ong-term value: 1800 n	ng/m³, 1000 ppm
REL (USA) Lo	ong-term value: 1800 n	ng/m³, 1000 ppm
	e Appendix F Minimal	oxygen content (D, EX)
400.000.0	ne	
106-97-8 n-buta		
	ong-term value: 1900 m	וg/m³, 800 ppm
REL (USA) Lo TLV (USA) SI	ong-term value: 1900 n nort-term value: 1000 p	
REL (USA) Lo TLV (USA) SI (E	ong-term value: 1900 n nort-term value: 1000 p X)	opm
REL (USA)LoTLV (USA)SIIngredients with67-64-1 Acetone	ong-term value: 1900 n nort-term value: 1000 p X) n biological limit valu	opm
REL (USA)LoTLV (USA)SIIngredients with67-64-1 AcetoneBEI (USA)25 m	ong-term value: 1900 n nort-term value: 1000 p X) n biological limit valu a Ig/L	opm
REL (USA) Lo TLV (USA) SI Ingredients with 67-64-1 Acetone BEI (USA) 25 m Medi	ong-term value: 1900 n nort-term value: 1000 p X) n biological limit valu g/L um: urine	opm
REL (USA) Lo TLV (USA) SI Ingredients with 67-64-1 Acetone BEI (USA) 25 m Medi Time	ong-term value: 1900 n nort-term value: 1000 p X) n biological limit valu g g/L um: urine e: end of shift	es:
REL (USA)LoTLV (USA)SIIngredients with67-64-1 AcetoneBEI (USA)25 mMediTimePara	ong-term value: 1900 n nort-term value: 1000 p X) n biological limit valu b ug/L um: urine s: end of shift meter: Acetone (nonsp	es:
REL (USA)LoTLV (USA)SIIngredients with67-64-1 AcetoneBEI (USA)25 mMediTimePara872-50-4 N-meti	ong-term value: 1900 n nort-term value: 1000 p X) n biological limit value b ng/L um: urine c: end of shift meter: Acetone (nonsp hyl-2-pyrrolidone	es:
REL (USA) LC TLV (USA) SI (E Ingredients with 67-64-1 Acetone BEI (USA) 25 m Medi Time Para 872-50-4 N-met BEI (USA) 100 m Medi	ong-term value: 1900 n nort-term value: 1000 p X) n biological limit value ng/L wm: urine e: end of shift meter: Acetone (nonsp hyl-2-pyrrolidone mg/L um: urine	es:
REL (USA) LC TLV (USA) SI (E Ingredients with 67-64-1 Acetone BEI (USA) 25 m Medi Time Para 872-50-4 N-met BEI (USA) 100 n Medi Time	ong-term value: 1900 n nort-term value: 1000 p X) n biological limit value g/L um: urine e: end of shift meter: Acetone (nonsp hyl-2-pyrrolidone mg/L um: urine e: end of shift	pecific)
REL (USA) LC TLV (USA) SI (E Ingredients with 67-64-1 Acetone BEI (USA) 25 m Medi Time Para 872-50-4 N-met BEI (USA) 100 n Medi Time Para	ong-term value: 1900 n nort-term value: 1000 p X) n biological limit value ng/L um: urine e: end of shift meter: Acetone (nonsp hyl-2-pyrrolidone mg/L um: urine e: end of shift meter: 5-Hydroxy-N-m	ethyl-2-pyrrolidone
REL (USA) LC TLV (USA) SI (E Ingredients with 67-64-1 Acetone BEI (USA) 25 m Medi Time Para 872-50-4 N-met BEI (USA) 100 n Medi Time	ong-term value: 1900 n nort-term value: 1000 p X) n biological limit value ng/L um: urine e: end of shift meter: Acetone (nonsp hyl-2-pyrrolidone mg/L um: urine e: end of shift meter: 5-Hydroxy-N-m	ethyl-2-pyrrolidone Immediately remove all soiled and contaminated clothing.
REL (USA) LC TLV (USA) SI (E Ingredients with 67-64-1 Acetone BEI (USA) 25 m Medi Time Para 872-50-4 N-met BEI (USA) 100 n Medi Time Para	ong-term value: 1900 n nort-term value: 1000 p X) n biological limit value ng/L um: urine e: end of shift meter: Acetone (nonsp hyl-2-pyrrolidone mg/L um: urine e: end of shift meter: 5-Hydroxy-N-m	ethyl-2-pyrrolidone Immediately remove all soiled and contaminated clothing. Wash hands after use.
REL (USA) LC TLV (USA) SI (E Ingredients with 67-64-1 Acetone BEI (USA) 25 m Medi Time Para 872-50-4 N-met BEI (USA) 100 n Medi Time Para	ong-term value: 1900 n nort-term value: 1000 p X) n biological limit value ng/L um: urine e: end of shift meter: Acetone (nonsp hyl-2-pyrrolidone mg/L um: urine e: end of shift meter: 5-Hydroxy-N-m	ethyl-2-pyrrolidone Immediately remove all soiled and contaminated clothing. Wash hands after use. Store protective clothing separately. Avoid contact with the eyes and skin.
REL (USA) LC TLV (USA) SI (E Ingredients with 67-64-1 Acetom BEI (USA) 25 m Medi Time Para 872-50-4 N-meti BEI (USA) 100 n Medi Time Para Hygienic protect	ong-term value: 1900 n nort-term value: 1000 p X) n biological limit value g/L um: urine e: end of shift meter: Acetone (nonsp hyl-2-pyrrolidone mg/L um: urine e: end of shift meter: 5-Hydroxy-N-m tion:	ethyl-2-pyrrolidone Immediately remove all soiled and contaminated clothing. Wash hands after use. Store protective clothing separately. Avoid contact with the eyes and skin. Do not eat or drink while working.
REL (USA) LC TLV (USA) SI (E Ingredients with 67-64-1 Acetone BEI (USA) 25 m Medi Time Para 872-50-4 N-met BEI (USA) 100 n Medi Time Para	ong-term value: 1900 n nort-term value: 1000 p X) n biological limit value g/L um: urine e: end of shift meter: Acetone (nonsp hyl-2-pyrrolidone mg/L um: urine e: end of shift meter: 5-Hydroxy-N-m tion:	ethyl-2-pyrrolidone Immediately remove all soiled and contaminated clothing. Wash hands after use. Store protective clothing separately. Avoid contact with the eyes and skin. Do not eat or drink while working. A respirator is generally not necessary when using this product outdoors or in large open areas
REL (USA) LC TLV (USA) SI (E Ingredients with 67-64-1 Acetom BEI (USA) 25 m Medi Time Para 872-50-4 N-meti BEI (USA) 100 n Medi Time Para Hygienic protect	ong-term value: 1900 n nort-term value: 1000 p X) n biological limit value g/L um: urine e: end of shift meter: Acetone (nonsp hyl-2-pyrrolidone mg/L um: urine e: end of shift meter: 5-Hydroxy-N-m tion:	ethyl-2-pyrrolidone Immediately remove all soiled and contaminated clothing. Wash hands after use. Store protective clothing separately. Avoid contact with the eyes and skin. Do not eat or drink while working. A respirator is generally not necessary when using this product outdoors or in large open areas cases where short and/or long term overexposure exists, a charcoal filter respirator should be w
REL (USA) Lo TLV (USA) SI Ingredients with 67-64-1 Acetone BEI (USA) 25 m Medi Time Para 872-50-4 N-meti BEI (USA) 100 n Medi Time Para Hygienic protect Breathing equip	ong-term value: 1900 n nort-term value: 1000 p X) n biological limit value ng/L um: urine e: end of shift meter: Acetone (nonsp hyl-2-pyrrolidone mg/L um: urine e: end of shift meter: 5-Hydroxy-N-m ction:	ethyl-2-pyrrolidone Immediately remove all soiled and contaminated clothing. Wash hands after use. Store protective clothing separately. Avoid contact with the eyes and skin. Do not eat or drink while working. A respirator is generally not necessary when using this product outdoors or in large open areas cases where short and/or long term overexposure exists, a charcoal filter respirator should be w If you suspect overexposure conditions exist, please consult an authority on chemical hygeine.
REL (USA) LC TLV (USA) SI (E Ingredients with 67-64-1 Acetom BEI (USA) 25 m Medi Time Para 872-50-4 N-meti BEI (USA) 100 n Medi Time Para Hygienic protect	ong-term value: 1900 n nort-term value: 1000 p X) n biological limit value ng/L um: urine e: end of shift meter: Acetone (nonsp hyl-2-pyrrolidone mg/L um: urine e: end of shift meter: 5-Hydroxy-N-m ction:	ethyl-2-pyrrolidone Immediately remove all soiled and contaminated clothing. Wash hands after use. Store protective clothing separately. Avoid contact with the eyes and skin. Do not eat or drink while working. A respirator is generally not necessary when using this product outdoors or in large open areas cases where short and/or long term overexposure exists, a charcoal filter respirator should be w

Revised On 01/09/2023

Page 3/4

Trade name: GRAFFITI REMOVER

Trade fiame. GRAFFITT REMOVER		
Eye protection:	Tightly sealed goggles (Contd. of page 2)	
9 Physical and chemical properties		
Appearance: Odor: Odor threshold:	Aerosol. Aromatic Not determined.	
pH-value: Melting point/Melting range Boiling point:	Not determined. Undetermined. -44.5 °C (-48.1 °F)	
Flash point: Flammability (solid, gas):	-19 °C (-2.2 °F) Extremely flammable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not self-igniting.	
Danger of explosion: Lower Explosion Limit: Upper Explosion Limit:	In use, may form flammable/explosive vapour-air mixture. 1.3 Vol % 10.9 Vol %	
Vapor pressure: Relative Density: Vapor density Evaporation rate Partition coefficient: n-octonal/water	Not determined. Between 0.77 and 0.85 (Water equals 1.00) Not determined. Not applicable. • Not determined.	
Solubility: Viscosity: Water:	Not determined. Not determined. 0.4 %	
10 Stability and reactivity		
10 Stability and reactivity Reactivity: Conditions to avoid:	Stable at normal temperatures. Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezing	
Chemical stability: Possibility of hazardous reactions: Incompatible materials: Hazardous decomposition:	temperatures. Not fully evaluated. No dangerous reactions known. No further relevant information available. No dangerous decomposition products known.	
11 Toxicological information		
LD/LC50 values that are relevant for	classification:	
872-50-4 N-methyl-2-pyrrolidone		
Oral LD50 3,600 mg/kg (rat) Dermal LD50 8,000 mg/kg (rbt)		
Information on toxicological effects: Skin effects: Eye effects: Sensitization:	No data available. Irritant to skin and mucous membranes. Irritating effect. Sensitization possible through skin contact.	
12 Ecological information Aquatic toxicity: Persistence and degradability: Other information:	Hazardous for water, do not empty into drains. The product is degradable after prolonged exposure to natural weathering processes. This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorinated solvents.	
Bioaccumulative potential: Mobility in soil: Remark: Other adverse effects:	No further relevant information available. No further relevant information available. Toxic for fish No further relevant information available.	
13 Disposal considerations		
Dispose of in accordance with local, st disposed of responsibly. Do not heat or Recommendation: Recommended cleansing agent:	ate, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents.	
14 Transport information UN-Number	UN1950 (Contd. on page 4)	

Revised On 01/09/2023

Trade name: GRAFFITI REMOVER

		(Contd. of page 3)
DOT	UN1950	
DOT	Aerosols, flammable	
ADR	1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS	
Transport hazard class(es):		
Class	2.1 Gases	
Marine pollutant:	Symbol (fish and tree)	
Special precautions for user:	Warning: Gases	
EMS Number:	F-D.S-Ŭ	
Packaging Group:		
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS	
15 Regulatory information		
13 Regulatory mormation		
SARA Section 355 (extremely hazardous substances):		

	SARA Section 355 (extremely hazardous substances):		
None of the ingredients in this product are listed.			
SARA Section 313 (Specific toxic chemical listings):			
872-50-4 N-methyl-2-pyrrolidon	le		
Toxic Substances Control Act			
(TSCA):	All hazardous ingredients are found on the inventory list of substances.		
Canadian Domestic Substance			
(DSL):	All ingredients are listed or exempted.		
Consumer Product Safety			
Comission (CPSC):	This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.		
•	micals known to cause cancer:		
None of the ingredients in this product are listed.			
Prop 65 chemicals known to cause birth defects or reproductive harm:			
872-50-4 N-methyl-2-pyrrolidon	e		
EPA:			
67-64-1 Acetone			
16 Other information			
Contact:	Regulatory Affairs		