Page 1/4

1 Identification of the substance and manufacturer			
Trade name: Product code: Recommended use: Uses advised against: Manufacturer/Supplier:	BACK COUNTRY RESCUE MARKER 0000060001 Paint and coatings application. Any that differs from the recommended use. Seymour of Sycamore 917 Crosby Avenue Sycamore, IL 60178 USA phone: 815-895-9101	Seymour of Sycamore 3041 Dougall Avenue, Suite 503 Windsor, ONT N9E 1S3 CANADA phone: 800-435-4482	
Emergency telephone number:	www.seymourpaint.com 1-800-255-3924	www.seymourpaint.com	
2 Hazard(s) identification			
Classification of the substance or r	nixture		
Flammable Aerosols 1	H222 Extremely flammable aerosol.		
Gases under Pressure - Liquefied gas		v evolode if heated	
	Eye Irritation 2A H319 Causes serious eye irritation. Specific Target Organ Toxicity - Single Exposure 2 H371 May cause damage to the central nervous system and the visual organs.		
Specific Target Organ Toxicity - Singi	e Exposure 3 H336 May cause drowsiness or dizzines	SS.	
Additional information: GHS Hazard pictograms			
GHS Hazaru pictografiis			
	\vee \vee \vee \vee		
	GHS02 GHS04 GHS07 GHS08		
Signal word	Danger		
Hazard statements	Extremely flammable aerosol.		
	Contains gas under pressure; may explode if heated	d.	
	Causes serious eye irritation.		
	May cause damage to the central nervous system a	na the visual organs.	
Precautionary statements	May cause drowsiness or dizziness. Keep away from heat/sparks/open flames/hot surfac	ses - No smoking	
i recautionary statements	Do not spray on an open flame or other ignition sou	rce.	
	Pressurized container: Do not pierce or burn, even a	after use.	
	Do not breathe dust/fume/gas/mist/vapors/spray.		
	Wash thoroughly after handling.		
	Do not eat, drink or smoke when using this product.	ation/face protection	
	Wear protective gloves/protective clothing/eye protective if in eyes: Rinse cautiously with water for several r	minutes Remove contact lenses if present and	
	easy to do. Continue rinsing.		
	If eye irritation persists: Get medical advice/attentio	n.	
	Store locked up.		
	Protect from sunlight. Do not expose to temperature	es exceeding 50°C/122°F.	
	Dispose of contents/container in accordance with lo	cai/regional/national/international regulations.	

3 Composition/information on ingredients			
	haracterization: Mixtures This product is a mixture of the substances listed below with nonhazardous additions.		
Dangerous	Dangerous components:		
67-64-1	Acetone	15-25%	
74-98-6	propane	15-25%	
1317-65-3	Calcium Carbonate	≥15-<20%	
106-97-8	n-butane	5-10%	
67-56-1	methanol	≥5-<10%	
108-65-6	PM acetate	5-10%	
111-76-2	Glycol Ether EB	1-5%	
34590-94-8	Dipropylene glycol monomethyl ether	1-5%	
64742-89-8	VM&P Naphtha	1-5%	

4 First-aid measures	
After inhalation: After skin contact: After eye contact: After swallowing:	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse mouth with water. Do not induce vomiting.
Most important symptoms and effects: Indication of any immediate medical attention needed:	Dizziness No further relevant information available.

Trade name: BACK COUNTRY RESCUE MARKER

Page 2/4

Revised On 01/09/2023

(Contd. of page 1) 5 Fire-fighting measures Extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray. Special hazards: Can form explosive gas-air mixtures. Protective equipment for firefighters: A respiratory protective device may be necessary. 6 Accidental release measures Personal precautions, protective equipment and emergency Use respiratory protective device against the effects of fumes/dust/aerosol. procedures: Methods and material for Absorb liquid components with liquid-binding material. containment and cleaning up: 7 Handling and storage Precautions for safe handling Use only in well ventilated areas. Storage requirements: Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing conditions. Store locked up. 8 Exposure controls/personal protection Components with limit values that require monitoring at the workplace: 67-64-1 Acetone PEL (USA) Long-term value: 2400 mg/m³, 1000 ppm REL (USA) Long-term value: 590 mg/m³, 250 ppm Short-term value: 500 ppm TLV (USA) Long-term value: 250 ppm A4. BEI 74-98-6 propane PEL (USA) Long-term value: 1800 mg/m³, 1000 ppm Long-term value: 1800 mg/m³, 1000 ppm REL (USA) see Appendix F Minimal oxygen content (D, EX) TLV (USA) 106-97-8 n-butane REL (USA) Long-term value: 1900 mg/m³. 800 ppm TLV (USA) Short-term value: 1000 ppm (EX) 67-56-1 methanol PEL (USA) Long-term value: 260 mg/m³, 200 ppm REL (USA) Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin TLV (USA) Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI 108-65-6 PM acetate WEEL (USA) Long-term value: 50 ppm 111-76-2 Glycol Ether EB Long-term value: 240 mg/m³, 50 ppm PEL (USA) Skin REL (USA) Long-term value: 24 mg/m³, 5 ppm Skin TLV (USA) Long-term value: 20 ppm BEI, A3 34590-94-8 Dipropylene glycol monomethyl ether PEL (USA) Long-term value: 600 mg/m³, 100 ppm Skin Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm REL (USA) Skin TLV (USA) Long-term value: 50 ppm Ingredients with biological limit values: 67-64-1 Acetone BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) (Contd. on page 3)

Revised On 01/09/2023

Page 3/4

Trade name: BACK COUNTRY RESCUE MARKER

	(Contd. of page 2)	
67-56-1 methanol		
BEI (USA) 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (back	kground, nonspecific)	
111-76-2 Glycol Ether EB		
BEI (USA) 200 mg/g creatinine Medium: urine Time: end of shift Parameter: Butoxyacetic a		
Hygienic protection:	Immediately remove all soiled and contaminated clothing. Wash hands after use. Avoid contact with the eyes and skin. Do not eat or drink while working.	
Breathing equipment:	A respirator is generally not necessary when using this product outdoors or in large open areas. In cases where short and/or long term overexposure exists, a charcoal filter respirator should be worn. If you suspect overexposure conditions exist, please consult an authority on chemical hygeine.	
Hand protection:	Nitrile gloves. The glove material must be impermeable and resistant to the substance.	
Eye protection:	Tightly sealed goggles	
9 Physical and chemical propertie		
Appearance: Odor:	Aerosol. Aromatic	
Odor: Odor threshold:	Not determined.	
pH-value: Melting point/Melting range Boiling point:	Not determined. Undetermined. -44.5 °C (-48.1 °F)	
Flash point: Flammability (solid, gas):	-19 °C (-2.2 °F) Extremely flammable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not self-igniting.	
Danger of explosion: Lower Explosion Limit: Upper Explosion Limit:	In use, may form flammable/explosive vapour-air mixture. 1.7 Vol % 10.9 Vol %	
Vapor pressure: Relative Density: Vapor density Evaporation rate Partition coefficient: n-octonal/wate	Not determined. Between 0.77 and 0.85 (Water equals 1.00) Not determined. Not applicable. r: Not determined.	
Solubility: Viscosity: Water:	Not determined. Not determined. 0.0 %	
10 Stability and reactivity		
Reactivity: Conditions to avoid:	Stable at normal temperatures. Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezing temperatures.	
Chemical stability: Possibility of hazardous reactions: Incompatible materials: Hazardous decomposition:	Not fully evaluated. No dangerous reactions known. No further relevant information available. No dangerous decomposition products known.	

11 Toxicological information

LD/LC50 v	LD/LC50 values that are relevant for classification:		
67-56-1 m	67-56-1 methanol		
Oral	LD50	5,628 mg/kg (rat)	
Dermal	LD50	15,800 mg/kg (rbt)	
108-65-6 F	108-65-6 PM acetate		
Oral	LD50	8,500 mg/kg (rat)	
Inhalative	LC50/4 h	35.7 mg/l (rat)	
111-76-2 Glycol Ether EB			
Oral	LD50	1,200 mg/kg (ATE)	
		1,480 mg/kg (rat)	
		(Contd. on page 4)	

Revised On 01/09/2023

Page 4/4

Trade name: BACK COUNTRY RESCUE MA	RKER
	(Contd. of page 3)
Dermal LD50 400 mg/kg (rab)	(
34590-94-8 Dipropylene glycol mone	
Oral LD50 5,135 mg/kg (rat	
Dermal LD50 9,500 mg/kg (rat	
Information on toxicological effects	
Skin effects:	No irritant effect.
Eye effects: Sensitization:	Irritating effect. No sensitizing effects known.
Sensitization.	
12 Ecological information	
Aquatic toxicity:	Hazardous for water, do not empty into drains.
Persistence and degradability: Other information:	The product is degradable after prolonged exposure to natural weathering processes.
Other mormation.	This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorinated
	solvents.
Bioaccumulative potential:	No further relevant information available.
Mobility in soil:	No further relevant information available.
Other adverse effects:	No further relevant information available.
13 Disposal considerations	
Dispose of in accordance with local, s	tate, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be
disposed of responsibly. Do not heat o	r cut empty containers with electric or gas torches.
Recommendation:	Completely empty cans should be recycled.
Recommended cleansing agent:	Water, if necessary with cleansing agents.
14 Transport information	
UN-Number	UN1950
DOT	UN1950
DOT ADR	Aerosols, flammable 1950 AEROSOLS
Transport hazard class(es):	1950 AEROSOES
Class	2.1 Gases
Special precautions for user:	Warning: Gases
EMS Number:	F-D,S-Ŭ
Packaging Group: UN "Model Regulation":	 UN 1950 AEROSOLS, 2.1
	UN 1930 ALICOOLS, 2.1
15 Regulatory information	
SARA Section 355 (extremely hazar	
None of the ingredients in this product	are listed.
SARA Section 313 (Specific toxic ch	nemical listings):
67-56-1 methanol	
111-76-2 Glycol Ether EB	
Toxic Substances Control Act	
(TSCA):	All hazardous ingredients are found on the inventory list of substances.
Canadian Domestic Substances Lis	t All ingredients are listed or exempted.
(DSL): Consumer Product Safety	
Comission (CPSC):	This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.
California Proposition 65 chemicals	
100-41-4 ethyl benzene	
Prop 65 chemicals known to cause	hirth defects or reproductive harm:
67-56-1 methanol	
L	
EPA:	
67-64-1 Acetone	
111-76-2 Glycol Ether EB	NL
16 Other information	
Contact:	Regulatory Affairs
Contact.	