1 Identification of the substance and manufacturer Trade name: NON-CHLORINATED BRAKE CLEANER 0006201548 Product code: Recommended use: Paint and coatings application. Uses advised against: Any that differs from the recommended use. Seymour of Sycamore Seymour of Sycamore Manufacturer/Supplier: 917 Crosby Avenue 3041 Dougall Avenue, Suite 503 Sycamore, IL 60178 USA phone: 815-895-9101 Windsor, ONT N9E 1S3 CANADA phone: 800-435-4482 www.seymourpaint.com www.seymourpaint.com 1-800-255-3924 **Emergency telephone number:** 2 Hazard(s) identification Classification of the substance or mixture Flammable Aerosols 1 H222 Extremely flammable aerosol. Gases under Pressure - Liquefied gas H280 Contains gas under pressure; may explode if heated. Eye Irritation 2A H319 Causes serious eye irritation. Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure. Additional information: **GHS Hazard pictograms** GHS04 GHS07 Signal word Danger Extremely flammable aerosol. Hazard statements Contains gas under pressure; may explode if heated. Causes serious eye irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. **Precautionary statements** Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Dispose of contents/container in accordance with local/regional/national/international regulations. **3** Composition/information on ingredients Chemical characterization: Mixtures **Chemical Description:** This product is a mixture of the substances listed below with nonhazardous additions. Dangerous components: 50-100% 67-64-1 Acetone 616-38-6 dimethyl carbonate 5-10% 74-98-6 propane 5-10% 106-97-8 n-butane 1-5%

4 First-aid measures	
After inhalation: After skin contact: After eye contact: After swallowing:	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting.
Most important symptoms and effects: Indication of any immediate medical attention needed:	Dizziness No further relevant information available.
5 Fire-fighting measures	
Extinguishing agents:	CO2, extinguishing powder or water spray. Fight larger fires with water spray.

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

(Contd. on page 2)

Page 1/4

Revised On 01/06/2023

(Contd. of pag
Can form explosive gas-air mixtures.
A respiratory protective device may be necessary.
Wear protective equipment. Keep upprotected persons away
Wear protective equipment. Keep unprotected persons away. Use respiratory protective device against the effects of fumes/dust/aerosol.
Ensure adequate ventilation.
Use only in well ventilated areas.
Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing condition Store locked up.
otection
t require monitoring at the workplace:
ng/m³, 1000 ppm
g/m³, 250 ppm
pm
om
ng/m³, 1000 ppm
ng/m³, 1000 ppm
l oxygen content (D, EX)
ng/m³, 800 ppm
ppm
alues:
nspecific)
Keep away from foodstuffs and animal feed. Wash hands after use.
Immediately remove all soiled and contaminated clothing.
Wash hands after use. Avoid contact with the eyes and skin.
Do not eat or drink while working.
A respirator is generally not necessary when using this product outdoors or in large open areas
cases where short and/or long term overexposure exists, a charcoal filter respirator should be we If you suspect overexposure conditions exist, please consult an authority on chemical hygeine.
Nitrile gloves.
The glove material must be impermeable and resistant to the substance. Tightly sealed goggles
Aerosol.
Aromatic
Not determined.
Not determined.
Undetermined.
-44 °C (-47.2 °F)
-19 °C (-2.2 °F)
Extremely flammable. Not determined.
Extremely flammable.
Extremely flammable. Not determined.

Printing date 01/06/2023

Page 3/4

Revised On 01/06/2023

	(Contd. of pag
Upper Explosion Limit: Vapor pressure at 20 °C (68 °F): Relative Density: Vapor density Evaporation rate Partition coefficient: n-octonal/water	Not determined. 233 hPa (174.8 mm Hg) Between 0.77 and 0.85 (Water equals 1.00) Not determined. Not applicable.
Solubility: Viscosity:	Not determined. Not determined.
Stability and reactivity	
Reactivity: Conditions to avoid: Chemical stability: Possibility of hazardous reactions: Incompatible materials: Hazardous decomposition:	Stable at normal temperatures. Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezi temperatures. Not fully evaluated. No dangerous reactions known. No further relevant information available. No dangerous decomposition products known.
Toxicological information	
LD/LC50 values that are relevant for	classification:
616-38-6 dimethyl carbonate	
Oral LD50 13,000 mg/kg (rat)	
Information on toxicological effects: Skin effects:	No data available. No irritant effect.
Eye effects:	Irritating effect.
Sensitization:	No sensitizing effects known.
Ecological information Aquatic toxicity: Persistence and degradability: Other information:	Hazardous for water, do not empty into drains. The product is degradable after prolonged exposure to natural weathering processes. This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbon (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorinate solvents.
Bioaccumulative potential: Mobility in soil: Other adverse effects:	No further relevant information available. No further relevant information available. No further relevant information available.
Disposal considerations Dispose of in accordance with local, st	ate, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must r cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents.
Disposal considerations Dispose of in accordance with local, st disposed of responsibly. Do not heat of Recommendation: Recommended cleansing agent:	cut empty containers with electric or gas torches. Completely empty cans should be recycled.
Disposal considerations Dispose of in accordance with local, st disposed of responsibly. Do not heat of Recommendation:	Completely empty cans should be recycled.
Disposal considerations Dispose of in accordance with local, st disposed of responsibly. Do not heat of Recommendation: Recommended cleansing agent: Transport information	Completely empty cans should be recycled. Water, if necessary with cleansing agents.
Disposal considerations Dispose of in accordance with local, st disposed of responsibly. Do not heat of Recommendation: Recommended cleansing agent: Transport information UN-Number	Cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents.
Disposal considerations Dispose of in accordance with local, st disposed of responsibly. Do not heat of Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR	Completely empty cans should be recycled. Water, if necessary with cleansing agents.
Disposal considerations Dispose of in accordance with local, st disposed of responsibly. Do not heat of Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR Transport hazard class(es):	UN1950 UN1950 UN1950 JUN1950 Aerosols, flammable 1950 Aerosols
B Disposal considerations Dispose of in accordance with local, st disposed of responsibly. Do not heat of Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR Transport hazard class(es): Class	Cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950 UN1950 Aerosols, flammable
Disposal considerations Dispose of in accordance with local, st disposed of responsibly. Do not heat of Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR Transport hazard class(es): Class Marine pollutant: Special precautions for user:	cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950 UN1950 Aerosols, flammable 1950 Aerosols 2.1 Gases No Warning: Gases
Disposal considerations Dispose of in accordance with local, st disposed of responsibly. Do not heat of Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT DOT ADR Transport hazard class(es): Class Marine pollutant: Special precautions for user: EMS Number:	Cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950 UN1950 Aerosols, flammable 1950 Aerosols 2.1 Gases No
Disposal considerations Dispose of in accordance with local, st disposed of responsibly. Do not heat of Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR Transport hazard class(es): Class Marine pollutant: Special precautions for user:	cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950 UN1950 Aerosols, flammable 1950 Aerosols 2.1 Gases No Warning: Gases
B Disposal considerations Dispose of in accordance with local, st disposed of responsibly. Do not heat of Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR Transport hazard class(es): Class Marine pollutant: Special precautions for user: EMS Number: Packaging Group: UN "Model Regulation":	cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950 UN1950 Aerosols, flammable 1950 Aerosols 2.1 Gases No Warning: Gases F-D,S-U
Disposal considerations Dispose of in accordance with local, st disposed of responsibly. Do not heat of Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR Transport hazard class(es): Class Marine pollutant: Special precautions for user: EMS Number: Packaging Group: UN "Model Regulation": Regulatory information	cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents.
B Disposal considerations Dispose of in accordance with local, st disposed of responsibly. Do not heat of Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR Transport hazard class(es): Class Marine pollutant: Special precautions for user: EMS Number: Packaging Group: UN "Model Regulation":	cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950 UN1950 Aerosols, flammable 1950 Aerosols 2.1 Gases No Warning: Gases F-D,S-U
Disposal considerations Dispose of in accordance with local, st disposed of responsibly. Do not heat of Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR Transport hazard class(es): Class Marine pollutant: Special precautions for user: EMS Number: Packaging Group: UN "Model Regulation": Regulatory information SARA Section 355 (extremely hazard	cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950 UN1950 Aerosols, flammable 1950 Aerosols 2.1 Gases No Warning: Gases F-D,S-U UN1950, Aerosols, 2.1 IN1950, Aerosols, 2.1
Disposal considerations Dispose of in accordance with local, st disposed of responsibly. Do not heat of Recommendation: Recommended cleansing agent: Transport information UN-Number DOT Special precautions for user: EMS Number: Packaging Group: UN "Model Regulation": SARA Section 355 (extremely hazard None of the ingredients in this product	cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950 UN1950 Aerosols, flammable 1950 Aerosols 2.1 Gases No Warning: Gases F-D,S-U UN1950, Aerosols, 2.1 IN1950, Aerosols, 2.1

Revised On 01/06/2023

Trade name: NON-CHLORINATED BRAKE CLEANER		
Canadian Domestic Substances Li (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemica	All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. Is known to cause cancer:	
None of the ingredients in this product are listed. Prop 65 chemicals known to cause birth defects or reproductive harm: None of the ingredients is listed. EPA: 67-64-1 Acetone		
16 Other information Contact:	Regulatory Affairs	